



# Department of Environmental Protection

Southeast Regional Office • 20 Riverside Drive, Lakeville MA 02347 • 508-946-2700

Charles D. Baker  
Governor

Karyn E. Polito  
Lieutenant Governor

Kathleen A. Theoharides  
Secretary

Martin Suuberg  
Commissioner

## PUBLIC NOTICE

May 28, 2021

The Massachusetts Department of Environmental Protection (“MassDEP”) is in receipt of comments relative to the P.J. Keating Company Non-Major Comprehensive Plan Application (NMCPA) No. 20-AQ02P-0020-APP in which commenters have requested a 90-day extension to submit comments on the proposed CPA approval.

On December 28, 2020, P. J. Keating submitted the NMCPA and on January 15, 2021, the NMCPA was posted on EEA’s ePlace public portal and became available for interested parties to view it. On April 21, 2021, MassDEP issued a proposed approval of the NMCPA at which time the 30-day comment commenced. The 30-day public comment period required by regulation ended on May 21, 2021.

Based on the review of extension requests, MassDEP is providing an additional twenty-one (21) day period for Public Comment that will begin on May 28 and will end on June 18, 2021. MassDEP will accept and consider substantive comments that are received by 5:00pm, June 18, 2021.

Pursuant to Regulation 310 CMR 7.02(3)(h), notice is given of the following Non-Major Plan Application and MassDEP’s proposed decision on a Non-Major Plan Application for the following Facility:

<b>City/Town:</b>	ACUSHNET
<b>Facility Name</b>	P.J. Keating Co, Inc.
<b>Applicant</b>	P.J. Keating Co, Inc.
<b>Location</b>	72 South Main Street
<b>ePlace Application No.:</b>	20-AQ02P-0020-APP
<b>Proposed Action</b>	Non-Major Comprehensive Plan Approval
<b>Purpose:</b>	P.J. Keating Company submitted a Non-Major Comprehensive Air Quality Plan Application for modifications at an existing asphalt plant and quarry. The Application is required to establish Best Available Control Technologies, sound mitigation, best management practices, and operational restrictions for a relocated hot asphalt drum mix plant and associated equipment located at the facility.

The Plan Application and MassDEP’s proposed decision are available on the EEA ePLACE Public Access Portal at <https://eeaonline.eea.state.ma.us/EEA/PublicApp/>. \* The Plan Application, MassDEP’s proposed decision, and the administrative record also are available for inspection by requesting from the contact below. Comments on the proposed decision must be submitted in writing by June 18, 2021. Comments may be submitted via the Public Access Portal, via electronic mail to [peter.russell@mass.gov](mailto:peter.russell@mass.gov), or via mail to the letterhead address above.

Failure of a person or group of ten (10) persons to provide written comments on MassDEP's proposed decision shall result in the waiver of any right to request an adjudicatory hearing on MassDEP's decision pursuant to 310 CMR 7.51(1), Rules to Request an Adjudicatory Hearing.

Any person, or group of ten (10) persons, who wants to receive a copy of MassDEP's final decision on the date MassDEP issues the decision to the applicant, must submit a written request via electronic mail or regular mail to:

Peter Russell  
AQ Permitting Section, Bureau of Air and Waste  
Email: [peter.russell@mass.gov](mailto:peter.russell@mass.gov)  
Mail: 20 Riverside Drive, Lakeville, MA 02347

\* On the Main page, click on the orange "Search and/ or Comment" button and click on the application you wish to review or comment on.